

- [contributing](#)
- [courses](#)
- [epub](#)
- [faq](#)
  - [old\\_dongles\\_drivers\\_for\\_fluofit\\_symphotime\\_32](#)
  - [how\\_can\\_i\\_analyze\\_my\\_data\\_using\\_non-picoquant\\_software](#)
  - [laser\\_intensity\\_response](#)
  - [novaflim\\_calculated\\_irf](#)
  - [novaflim\\_license](#)
  - [the\\_dark\\_counts\\_of\\_my\\_spads\\_increased\\_when\\_do\\_i\\_need\\_to\\_take\\_action](#)
  - [why\\_do\\_i\\_not\\_get\\_the\\_same\\_count\\_rates\\_on\\_both\\_spad\\_detectors](#)
- [fluotime250](#)
- [general](#)
  - [advantages\\_and\\_disadvantages\\_of\\_two\\_photon\\_excitation\\_tpe](#)
  - [community\\_news](#)
  - [fluorescence\\_correlation\\_spectroscopy-a\\_short\\_introduction](#)
- [glossary](#)
  - [alex](#)
  - [aotf](#)
  - [asymptotic\\_standard\\_errors](#)
  - [bdf](#)
  - [bifl](#)
  - [bootstrap\\_method](#)
  - [bootstrap](#)
  - [cfd](#)
  - [chi\\_square\\_management](#)
  - [chi\\_square](#)
  - [convolution](#)
  - [dead\\_time](#)
  - [deconvolution](#)
  - [differential\\_count\\_rate](#)
  - [fast\\_flim](#)
  - [fast\\_lifetime](#)
  - [fastlt](#)
  - [fcs](#)
  - [flim](#)
  - [fluorescence\\_lifetime](#)
  - [frap](#)
  - [fret](#)
  - [fwhm](#)
  - [hybrid\\_pmt](#)
  - [irf](#)
  - [least\\_squares](#)
  - [marquardt-levenberg](#)
  - [mcp](#)
  - [mcs](#)

- mle
- monte\_carlo
- nim
- od
- pie
- pile-up\_effect
- pmt
- poisson\_distribution
- pre-histogrammed\_image
- pulsed\_interleaved\_excitation
- reconvolution
- residuals
- spad
- spads
- support\_plane\_analysis
- t2-mode
- t3-mode
- tcspc
- ttr
- **howto**
  - ax\_flim\_example
  - ax\_flim\_examples
  - burst\_duration\_and\_fcs\_diffusion\_time
  - phasor\_plot\_structure\_separation
  - 2ffcs
  - align\_beam\_backreflection
  - antibunching\_measurements
  - avoid\_pile\_up\_effect\_in\_flim\_measurements
  - calculate\_and\_fit\_fcs\_traces\_with\_the\_fcs\_script
  - calculate\_fccs\_trace\_with\_the\_grouped\_fcs\_script
  - calculate\_ratiometric\_fret-images
  - calculate\_ratiometric\_single\_pair\_fret\_distributions\_using\_the\_pie-fret\_script
  - calculate\_ratiometric\_single\_pair\_fret\_distributions
  - calibrate\_the\_confocal\_volume\_for\_fcs\_using\_the\_fcs\_calibration\_script
  - check\_overlap\_of\_different\_color\_confocal\_volumes
  - data\_file\_import
  - determination\_of\_the\_focal\_width\_with\_the\_focal
  - diamond\_nv\_centers
  - exchange\_dichroic\_mt200
  - flim\_fret\_calculation\_for\_multi\_exponential\_donors
  - flim\_measurement\_using\_a\_nikon\_a1\_with\_a\_flim\_and\_fcs\_upgrade
  - flim-fret\_calculation\_for\_single\_exponential\_donors
  - flim-fret\_measurement\_using\_an\_olympus\_fv1200\_with\_a\_flim\_and\_fcs\_upgrade
  - how\_to\_measure\_the\_instrument\_response\_function\_irf
  - how\_to\_work\_with\_the\_instrument\_response\_function\_irf
  - intensity\_time\_trace\_analysis
  - lifetime\_fitting\_using\_the\_flim\_analysis
  - lifetime\_fitting\_using\_the\_tcspc\_fitting\_script
  - lifetime-fitting\_using\_the\_flim\_script
  - lifetime-fitting\_using\_the\_rapid\_reconvolution\_algorithm
  - measuring\_quantum\_yield
  - mt200everyday\_alignment
  - mt200fcs
  - mt200fundamental\_alignement
  - pattern\_matching

- [performing\\_an\\_fcs\\_measurement\\_with\\_an\\_olympus\\_fv1200\\_upgrade\\_kit](#)
- [phasor\\_analysis](#)
- [reconvolution\\_fit](#)
- [recording\\_a\\_fluorescence\\_lifetime\\_image\\_flim\\_stack\\_with\\_a\\_lsm\\_upgrade\\_kit\\_on\\_a\\_nikon\\_a1](#)
- [registering\\_new\\_scripts](#)
- [roi\\_fitting\\_using\\_the\\_flim\\_script](#)
- [select\\_the\\_correct\\_pinhole\\_size](#)
- [separation\\_of\\_2\\_species\\_with](#)
- [symphotime\\_tips\\_and\\_tricks](#)
- [t3r\\_antibunching\\_-\\_slow\\_decay](#)
- [update](#)
- [using\\_the\\_anisotropy\\_image\\_script](#)
- [using\\_the\\_antibunching\\_script](#)
- [using\\_the\\_flcs\\_script\\_for\\_spectral\\_crosstalk\\_removal\\_via\\_flccs](#)
- [visualizing\\_dynamics\\_using\\_the\\_multiframe-flim\\_script](#)
- [visualizing\\_dynamics\\_with\\_the\\_multi\\_frame\\_flim\\_analysis](#)
- [playground](#)
  - [test](#)
- [products](#)
  - [hydrharp\\_400](#)
  - [microtime](#)
  - [picoharp\\_300](#)
  - [sepia\\_ii](#)
  - [symphotime64](#)
  - [tcspc\\_electronics](#)
- [software](#)
  - [easytau](#)
  - [fcs\\_viewer](#)
  - [flimfit](#)
  - [fluofit](#)
  - [pycorrfit](#)
  - [supported\\_mt200\\_pc\\_configuration\\_for\\_symphotime\\_32](#)
  - [supported\\_mt200\\_pc\\_configuration\\_for\\_symphotime\\_64](#)
  - [symphotime\\_32](#)
  - [symphotime](#)
  - [symphotime64](#)
- [support](#)
  - [configuring\\_symphotime64\\_after\\_installation](#)
  - [supported\\_mt200\\_pc\\_configuration\\_for\\_symphotime\\_32](#)
  - [supported\\_mt200\\_pc\\_configuration\\_for\\_symphotime\\_64](#)
  - [tcspc\\_external\\_markers](#)
- [tag](#)
  - [howto](#)
- [technical\\_docs](#)
  - [beampath\\_of\\_the\\_zeiss\\_lsm700](#)
- [wiki](#)
  - [dokuwiki](#)
  - [ebook](#)
  - [syntax](#)
  - [welcome](#)
- [writingroom](#)
- [applications](#)
- [basics](#)
- [beampath\\_of\\_the\\_zeiss\\_lsm880](#)
- [contributions](#)

- [contributions12](#)
- [create\\_time\\_gated\\_image](#)
- [data\\_analysis](#)
- [drafts](#)
- [flim\\_fcs\\_using\\_olympus\\_fluoview\\_fv3000\\_lsm\\_upgrade\\_kit](#)
- [fluorescence\\_lifetime\\_measurements\\_using\\_the\\_fluotime\\_300](#)
- [fluorophores\\_and\\_samples](#)
- [fullindex](#)
- [how\\_to\\_reinstall\\_symphotime](#)
- [imprint](#)
- [interfacing\\_time\\_resolved\\_spectrometer\\_fluotime\\_300\\_microscope\\_microtime\\_100](#)
- [laser\\_safety\\_instructions](#)
- [legal\\_information](#)
- [lifetime\\_component\\_decomposition\\_phasor\\_plot\\_analysis](#)
- [lsm710](#)
- [measurement\\_hardware\\_instrumentation](#)
- [privacy\\_policy](#)
- [some\\_origins\\_of\\_multiexponential\\_decays\\_for\\_single\\_dyes](#)
- [supported\\_th260\\_pc](#)
- [synchrotron\\_application](#)
- [synchrotron\\_applications](#)
- [tutorials](#)
- [video\\_tutorials](#)

Copyright of this document belongs to PicoQuant GmbH. No parts of it may be reproduced, translated or transferred to third parties without written permission of PicoQuant GmbH. All information given here is reliable to our best knowledge. However, no responsibility is assumed for possible inaccuracies or omissions. Specifications and external appearances are subject to change without notice.



PicoQuant GmbH  
Rudower Chaussee 29 (IGZ)  
12489 Berlin  
Germany

P +49-(0)30-1208820-89  
F +49-(0)30-1208820-90  
info@picoquant.com  
www.picoquant.com